

## Coaxial Cable Connector 24\_BNC-75-3-5/133\_N

### Description

Straight bulkhead cable feed through

Interface standards

Interface compatible with IEC 61169-8



### Technical Data

#### Electrical Data

|                          |       |
|--------------------------|-------|
| Impedance                | 75 Ω  |
| Interface frequency max. | 1 GHz |

#### Mechanical Data

|                |           |
|----------------|-----------|
| Centre contact | crimped   |
| Outer contact  | crimped   |
| Weight         | 0.0161 kg |

#### Environmental Data

|  |                  |
|--|------------------|
| Operating temperature                                | -65 °C to 165 °C |
| 2011/65/EU (RoHS - including 2015/863 and 2017/2102) | compliant        |

#### Material Data

| Piece Parts    | Material               | Surface Plating                   |
|----------------|------------------------|-----------------------------------|
| Centre contact | Copper Beryllium Alloy | Gold Plating (Nickel underplated) |
| Outer contact  | Brass                  | SUCOPLATE (R) Plating             |
| Body           | Brass                  | SUCOPLATE (R) Plating             |
| Insulator      | PFA / PTFE             |                                   |
| Gasket         | VMQ (Silicone rubber)  |                                   |
| Fastening nut  | Brass                  | SUCOPLATE (R) Plating             |
| Washer         | Bronze                 | SUCOPLATE (R) Plating             |
| Crimp ferrule  | Copper Beryllium Alloy | SUCOPLATE (R) Plating             |

### Related Documents

|                      |                |
|----------------------|----------------|
| Outline drawing      | DOU-00071735   |
| Catalogue drawing    | DCA-00008942   |
| Assembly instruction | DOC-0000179061 |
| Mounting hole        | DOU-00008751   |

### Ordering Information

|                |                      |
|----------------|----------------------|
| Single package | 24_BNC-75-3-5/133_NE |
|----------------|----------------------|

### Additional Information

|                 |           |
|-----------------|-----------|
| Suitable cables | G_03233_D |
|-----------------|-----------|